

NEWELL ENTERPRISES dba TRI COUNTY READY MIX  
P.O. Box 1310  
Middlesboro, Kentucky 40965

RE: Ready mix concrete plant located off U.S. 25E, north of Middlesboro

June 16, 1995  
operation

- |    |          |  |  |
|----|----------|--|--|
| 01 | (1E, 2E) | Cement Silos<br>(1-Cement Silo,<br>1-Pig Silo) | <ol style="list-style-type: none"><li>1. 40 tons/hour maximum loading rate.</li><li>2. Particulate emissions shall not exceed 17.42 lbs/hour and 5.66 tons/year.</li><li>3. Visible emissions shall not equal or exceed 20% opacity.</li></ol> |
| 02 | (1)      | Fly Ash Silo                                   | <ol style="list-style-type: none"><li>1. 40 tons/hour maximum loading rate.</li><li>2. Particulate emissions shall not exceed 17.42 lbs/hour and 1.09 tons/year.</li><li>3. Visible emissions shall not equal or exceed 20% opacity.</li></ol> |

O-93-063 (Revised)

101-0200-0088

Appalachian

Bell

3273

<b><u>POINT OF EMISSION</u></b>	<b><u>AFFECTED FACILITY</u></b>	<b><u>CONDITIONS</u></b>
03 (1E)	Weigh Hopper	<ol style="list-style-type: none"> <li>1. 100 cubic yards/hour and 100,000 cubic yards/year maximum production rates.</li> <li>2. Particulate emissions shall not exceed 22.22 lbs/hour and 11.11 tons/year.</li> <li>3. Visible emission shall not equal or exceed 20% opacity.</li> </ol>
04 (-)	Aggregate Handling and Stockpiles	100 cubic yards/hour and 100,000 cubic yards/year maximum production rates.
(-)	Drum Mixer	100 cubic yards/hour and 100,000 cubic yards/year maximum production rates.
(1E)	Truck Loadout	100 cubic yards/hour and 100,000 cubic yards/year maximum production rates.
05 (-)	Haul Road and Yard Area	100 cubic yards/hour and 100,000 cubic yards/year maximum production rates.

**GENERAL CONDITIONS:**

1. In no way does this permit relieve the permittee from compliance with all applicable emission and air quality standards.
2. All air pollution control equipment and all pollution control measures proposed by the application in response to which this permit is issued shall be in place, properly maintained, and in operation at any time an affected facility for which the equipment and measures are designed is operated.
3. The permittee shall maintain and make available for inspection by personnel from the Kentucky Division for Air Quality all production records necessary to assure that the allowable annual production rate will not be exceeded.

**GENERAL CONDITIONS:**

4. In no way does this permit relieve the permittee from the responsibility of controlling emissions at all times in accordance with Regulation 401 KAR 63:010, Fugitive emissions.
5. The haul road and yard area shall be controlled with water on a regular basis so as to comply with the requirements specified in Regulation 401 KAR 63:010, Fugitive emissions.
6. Visible and particulate emissions as measured by reference methods referenced in Regulation 401 KAR 50:015, Section 1 shall not exceed the respective pollutant emission limitations specified herein.
7. All previous operating permits issued to this source for this location are hereby null and void.